



email data storage proxy module engine protocol engine "front end"

Search

Advanced search

Search

About 9,250,000 results (0.02 seconds)

Everything

[Symantec Email Archiving | Symantec.com](#)

Ad

Ads

[www.symantec.com](#)

Improve Performance, Manageability And Scale With **Email** Archiving.

Images

[Email Storage](#)

[www.ask.com](#)

Maps

Get **Email Storage**

Find **Email Storage**

Videos

[Communications system with data ... - Google Patents](#)

[www.google.com/..110_777_959_Communications_system_with_da...](#)

a **protocol engine** module communicating with the **front-end proxy module** using a ... between said **protocol engine** module and the plurality of **data storage** ... and the protocol interface device process electronic **mail (e-mail)** messages. ...

News

[Dell™ Email Storage](#)

[www.dellstorage.com](#)

Shopping

Boost IT Efficiency w/ Dell **Email Storage** Solutions For Enterprises

More

See your ad here »

Alexandria, VA

Change location

[Communications system providing ... - Google Patents](#)

[www.google.com/..17774486_Communications_system_providing.h...](#)

a **protocol engine** module for communicating with said plurality of **email data storage** devices using respective operating protocols,; a **front-end proxy module** ...

All results

[Communications system including ... - Google Patents](#)

[www.google.com/..110_777_577_Communications_system_includi...](#)

Related searches

A communications system may include a plurality of **data storage** devices each ... More particularly, the **front-end proxy module** and the **protocol engine** module may ... **proxy module**, and said **protocol engine** module process electronic **mail** ...

More search tools

[Communications system with data ... - Google Patents](#)

[www.google.com/..17259975_Communications_system_with_data.h...](#)

a **protocol engine** module communicating with the **front-end proxy module**, ... between said **protocol engine** module and the plurality of **data storage** devices f ... and the protocol interface device process electronic **mail (e-mail)** messages. ...

[TeamOn Systems, Inc. - Patent application](#)

[www.faqso.org/patents/assignee/teamon-systems-inc/](#)

The protocol interface device may further include a **front-end proxy module** ... a **protocol engine** module for communicating with the **data storage** devices using ... An **email** relay server may detect a new **email** message on the at least one **email** ...

[Shaibal Roy, Sammamish US - Patent applications](#)

[www.faqso.org/patents/inventor/shaibal-roy-sammamish-us-1/](#)

Sep 1, 2011 -- The adaptive polling **engine** may advantageously learn respective user usage ... In particular, the protocol interface device may include a **protocol engine**

module for communicating with the plurality of **data storage** devices using ... The **front-end proxy module** may include a respective **proxy module** for ...

Clarke, WA - Patent applications

www.fqqs.org/patents/inventor/clarke-wa-3/

An **email** relay server may detect a new **email** message on the at least one **email** ... a **protocol engine** module for communicating with the plurality of **data storage** ... The protocol interface device may further include a **front-end proxy module** ...

Communications system including protocol interface device for use ...


ip.com/patent/CA2532697C

a **protocol engine module** for communicating with said plurality of **email data storage** devices using respective operating protocols; said **front-end proxy** ...

Mobile wireless communication protocol interface storage devices ...

ip.com/patent/CA2532910

mail data storage devices, said **protocol engine** module cooperating with said ...

 Show more results from ip.com

Communications system providing multi-layered extensible protocol

www.patents.com/us-7774486.html

The **front-end proxy module** may include a respective **proxy module** for **protocol engine** module for communicating with the plurality of **email data storage** ...

List of free and open source software packages - Wikipedia, the free ...

en.wikipedia.org/wiki/List_of_free_and_open_source_software_packages

3 **Data storage** and management QuickFIX --- FIX **protocol engine** written in C++ with additional C#, Ruby, and Python Main category: Free **email** software. ... and Microsoft Windows; FreePBX --- **Front-end** and advanced PBX configuration ... high performance web server/reverse **proxy** and e-mail (IMAP/ POP3) **proxy** ...

WSO2 - Wikipedia, the free encyclopedia

en.wikipedia.org/wiki/WSO2

Built on OSGi, Carbon encapsulates major SOA functionality such as **data** ...

 Show more results from wikipedia.org

RRDtool - RRD World

oss.oetiker.ch/rrdtool/rrdworld/index.en.html

5+ items -- Menu · Welcome · Download · Documentation · Tutorials ...

- Perl RRD::Editor – Doug Leith <> | Date: 2011/6 | License: Perl 5
- ddraw -- Christophe Kalt | Date: 2002/11 | License: BSD
- DSreport – Steve Rader | Date: 2000/3 | License: GPL

FreeBSD Ports Collection Index

www.freebsd.org/ports/master-index.html

3proxy-0.6.1 -- **Proxy** servers set (support HTTP(S), FTP, SOCKS, POP3, TCP & UDP) ... Atlas-0.5.2_1 -- A C++ reference implementation of the Atlas **protocol** ... LabPlot-1.6.0.2_13 -- LabPlot : **Data** analysis and visualisation REminiscence-0.2.1 -- A rewritten **engine** for Flashback ... abby-0.4.8_2 -- **Front-end** for c/olive ...

All Third-Party Modules - Webmin

www.webmin.com/cgi-bin/search_third.cgi?module=s=1

Based on the standard BIND 8 **module**, but only supports BIND version 9 and above. Includes new ... Description, View reports on bandwidth usage by host, port, **protocol** and time on a Linux system Configuration **Engine** 1.570 Description, A webmin **front end** to the excellent MailScanner **email** security product. ...

Firewalls

technet.microsoft.com/en-us/library/cc700820.aspx

So, a user on the internal network would be able to download **email** without a in one organization, while allowing the same **protocol** from a different set of computers. ... ISA Server is also an application-level **proxy** that's able to read **data** within For those who live and breathe TCP/IP, ICF's **engine** uses addresses, ports, ...

Google App Engine for Java. Part 1: Rev it up!

www.ibm.com/developerworks/java/library/j-gae1/

Aug 11, 2009 -- Remember when Google App **Engine** was just for Pythonistas? ... **Data storage** is based on BigTable, but with JDO and JPA interfaces that allow ... hosts using the HTTP and HTTPS **protocols**); JavaMail to send **mail** messages featuring an HTML **front end** (SimpleGWTApp.html, shown in Listing 10) that ...

IBM Fix list for WebSphere Application Server Version 5.1.1 - United ...

www-01.ibm.com/support/docview.wss?uid=swg27606879

Servlet **Engine**/Web Container, PK58331, NoClassDefFoundError seen ...

 Show more results from ibm.com

Disabling services and protocol logging on exchange 2003 servers ...

www.tech-faq.com/disabling-services-and-protocol-logging-on-exch...

16 hours ago -- Microsoft Exchange Routing **Engine**; needed to enable Exchange to route ... Microsoft Exchange Information **Store** service; because Exchange 2003 **front-end** server do ... If you want to troubleshoot **mail** system **protocol** issues then you ... Bear in mind that varchar(255) in Access is the same as a Text **data** ...

Up to Something » List of Open Source Google App Engine Hosted ...

www.uptosomething.in/weblog/?page_id=355

EMAIL ME if you want to add to this list : versesane => google's **mail** site GAE-**FLEXPROXY** : A **proxy** for Flex HTTP requests which runs on Google App **Engine** GAE-WEDDING : A Google App **Engine** Hosted mini website to publish our **SRTM Data** : Receives a route as an input (OpenLS XML, **protocol** buffers or ...

Open Source Software in Java

java-source.net/

You write your **front end** in the Java programming language, and the GWT Derby has a small footprint -- about 2 megabytes for the base **engine** and HiveMind will integrate the contributions of such **data** from multiple **modules** and convert Efficient interaction with the **mail store** along with a low support overhead are ...

Communications system with data storage device interface proto...

www.patentstorm.us/patents/7289975/claims.html

Method and apparatus for providing electronic **mail** services during network a **protocol engine** module communicating with said **front-end proxy module**, ...

Release Note vA2(3.x). Cisco ACE Application Control Engine Mod...

www.cisco.com/en/US/...module/s/...module/s/.../RACEA2_3_X.html

Release Note for the Cisco Application Control **Engine Module** Previously, you could enable only SSL rehandshake at the SSL-**proxy** level by An RST comes from the server after the **front-end** connection is established. CSCtc55162--- When the ACE TCP **protocol** stack is processing a large amount of **data**, ...

US Patent No. 7525955

www.scribd.com - Business/Law - Court Filings

Apr 1, 2011 - 22, 2005 Related U.S. Applic ation **Data** (60) P rov is ional application No. to IP phones; **engine** coupled to the **front-end** console where the transaction FIG. straightforward as there is no reliance on the server/**proxy** for such features. FIG. ... HTTP client services provide a transport **protocol** to **store** and ...

Index of Packages : Python Package Index

pypi.python.org/pypi/

acora 1.7, Fast multi-keyword search **engine** for text strings. Acquisition ...
adsense_scraper 0.5, Scrapes Google AdSense earnings **data** with Python using Twill ...
... afpy ldap 1.0, This **module** provide an easy way to deal with ldap stuff in python.
.... alphassign 1.0, Implementation of the Alpha Sign Communications **Protocol** ...

IPDF1 Multimedia

www.ag-projects.com/docs/MSP-Description.pdf

File Format: PDF/Adobe Acrobat

SIP **Proxy** / Registrar / Presence agent. Voice and video calling based on IETF SIP **protocol** (RFC 3261) ... CDRTtool consists of a rating **engine** and an easy to use web application, Server **storage** for voice messages provisioning system or **front-end** does not need to know the low level details of how the user **data** is ...

Ubuntu -- Software Packages in "maverick". Subsection web

packages.ubuntu.com/maverick/web/

... adzapper (20090301-1) [universe]: **proxy** advertisement zapper add-on; ajaxterm
... clone (Wiki **Engine**) written in Ruby; avelsieve (1.9.9-2) [universe]: Sieve **mail** filters ... axel-kapt (2.4-1) [universe]: light download accelerator - graphical **front-end**
..... Apache **module** implementing the CGI **protocol**; libapache2-mod-shib2 ...

Planet Django

planetdjango.org/

21 hours ago -- Use a cache system as permanent **storage** is such a bad idea, except when ... In previous posts we created a **data** structure, parsed and stored robots.txt and to a web-based one build on Django with Sencha (extjs) as a **front-end**. In this series I'll show you how to build a search **engine** using standard ...

Communications system with data storage device interface proto...

www.freepatentsonline.com/y2005/0038915.html

Feb 17, 2005 - A communications system may include a plurality of **data storage** ... and a **protocol engine** module communicating with the **front-end proxy module** ... said protocol interface device process electronic **mail** (e-mail) messages. ...

Web Hosting Providers - How To Information | eHow.com

www.ehow.com - Internet

InnoDB is a transactional database **storage engine** that is designed to work with the popular MySQL ... File transfer **protocol** software is free to users and any... ...

CPanel provides a **front-end** for managing a Web hosting service. ... How to Move Large **Data** Files From One Server Over the Internet How to Use **Proxy** in C# ...

SQLite CVSTrac

sqlite.org/cvstrac/wiki?p=SQLiteUsers

A SWIG-generated SQLite3 **module** for Q is available here. ... qrsQL2 Database **Engine** - an abstraction and modified version of SQLite optimized to run on ... Uses SQLite to **store** image meta **data** and any information entered by the user.
<http://www.janaserver.de/> - Jana-Server a **Proxy**-, Http- and **Email**-Server. ...

Jetty Powered - Jetty - Codehaus

docs.codehaus.org/display/JETTY/Jetty+Powered

Sep 19, 2011 -- It includes it's own ETL and OLAP **engine**, connectors with ...
Specification and execution of tests is automated for web **front end** and business logic layer. ... Jetty is used in its **proxy** configuration to capture http-communication as ... By storing and indexing message streams in a high-performance **data store**,
...

Debian -- Software Packages in "squeeze". Subsection web

packages.debian.org/squeeze/web/

acidbase (1.4.5-2): Basic Analysis and Security **Engine**; adacgi0 (1.6-14): Ada CGI ... analyzer; anon-**proxy** (00.05.38+20081230-1.1): **Proxy** to surf the web anonymously draw (2.2b2-3): A simple web based presentation **front-end** for RRDtool **storage engine** using the memcache **protocol**; metacafe-dl (2008.07. 23-1) ...

SIP Proxy - IPsmarx

www.ipsmarx.com/english/solutions/sipproxy.html

The IPsmarx VoIP SIP **Proxy** Solution is designed to provide service ... These components can be categorized as: GUI and **Front-End**, IPsmarx ... Data Encryption for Critical **Data Storage**; Call Monitor; Online Back Up Tool; Automatic **Email** ... in the dialing plan and IPsmarx routing **engine** will follow these priorities every time ...

Communications System Providing Extensible Protocol Translation...

www.freshpatents.com/-dt20100311ptan20100061310.php

Mar 11, 2010 -- A communications system may include a plurality of **data storage** ... and a **front- end proxy module** coupled to the **protocol engine**. The method may include providing a **protocol engine** module for Each of the **mail** systems 24, 26, 28 supports a different operating protocol or access scheme. ...

IPDF William Ahern 14525 SW Millikan Way #30823 Beaverton, OR ...

25thandclement.com/~william/resume.pdf

File Format: PDF/Adobe Acrobat - Quick View

Protocols: IPv6, IPSec, HTTP, RTSP, SSL/TLS, XMPP, SMTP, LDAP. ... Apache 1. x authentication **module** using BSD Authentication framework. ... Created new JINSA **store**. ... Related article document-vectoring **engine**. ... POP3 or IMAP accounts, or used pseudo-anonymous **proxy e-mail** addresses managed by Mailshell. ...

Reistřik kolekcí portů FreeBSD

www.freebsd.cz/cs/ports/master-index.html

... one player 6tunnel-0.11.r2_2 - TCP **proxy** for applications that don't speak IPv6 ...
Atlas-0.5.2_1 - A C++ reference implementation of the Atlas **protocol**. Atlas-0.6.2
.... WadcomBlog-0.3 - Simple open-source static blog **engine** written in Python
aolserver-nsencrypt-0.4_2 - OpenSSL **data** encryption **module** for AOLserver ...

OpenLDAP Software 2.4 Administrator's Guide

www.openldap.org/doc/admin24/guide.html

Mar 28, 2011 -- 5.2.2. **cn=module** The **Proxy Cache Engine** ... CRYPT password **storage** scheme The types are typically mnemonic strings, like "cn" for common name, or "**mail**" for In this case, LDAP is used as an access **protocol** to **data** that ... a **front end** that handles **protocol** communication with LDAP clients; and ...

Project Search

www.codeplex.com/site/search?size=2147483647

Jad **Engine** - C# + MDX 3D Game **Engine** - JADENGINE ... gssMonger Interoperability Suite for Kerberos and other **Protocols** - ... Asset Tracking and Management library and **front-end** - assetman ... Advanced **Proxy** Manager - **AdvancedProxyManager** A.Data Framework for XML-based Client **Data Storage** - ADataFW ...

FreeBSD Ports Collection 一覽

www.freebsd-fr.org/ja/ports/master-index.html

6tunnel-0.11.r2_2 -- TCP **proxy** for applications that don't speak IPv6 8kingdoms-1.1.0_3 ... Atlas-0.5.2_1 -- A C++ reference implementation of the Atlas **protocol** WadcomBlog-0.3 -- Simple open-source static blog **engine** written in Python aolserver-nsencrypt-0.4_2 -- OpenSSL **data** encryption **module** for AOLserver ...

Dell EqualLogic Document Center

www.equallogic.com > Resource Center

AccuWeather.com crunches more and more **data** to produce personalized customer **Storage** system evaluations often focus on hardware or **protocol** Mechanical hard disk drives (HDDs) with a cache memory-based **front-end** in the with the snapshot **engine** built into the Dell EqualLogic PS Series of arrays. ...

Developing Web Applications with PL/SQL

download.oracle.com/docs/cd/B10501_01/appdev.101/adgweb.htm

The user fills in a form on one web page, and all the **data** and choices are ... **Store** a name and associated zip code in the database. its mod_ose **module**, as described in Oracle Servlet **Engine** User's Guide. ... The following code example illustrates how the SMTP package might be used by an application to send **email**. ...

Virtuoso Open Source Edition News - Virtuoso - OpenLink Software

virtuoso.openlinksw.com/data/space/dav/wiki/Main/VOSNews

Mar 30, 2011 -- Virtuoso Open-Source, OpenLink **Data** Spaces, and OpenLink Ajax Toolkit ... Core Database **Engine**; SPARQL and RDF related; ODS Applications; Download and reverse-**proxies**; Fixed Conductor UI for handling WebID **Protocol** ... new internal RDF **store** for speed, browser fixes, and cosmetic changes ...

Ora mysql bothGetting the best of both worlds with Oracle 11g and M...

www.slideshare.net/.../ora-mysql-bothgetting-the-best-of-both-worlds...

Sep 21, 2010 -- To request the link at a different **email** address, update it here. ... 3 Tuesday, 21 September 2010; Pluggable **Storage Engine** Architecture Windows, OS X • Simple UDP **protocol**, Libevent based • Integration with all the major ... **Proxy** Server 6446 & MySQL Agent ** (MySQL, OS monitoring **data**, SQL ...

The Perl 5 Registered Module List

www.cpan.org/modules/00modlist.long.html

Read access to system UAF **data** DSUGAL ::**Mail** cdcO? Perl **module** for
accessing ... Interface to Simple **Mail** Transfer **Protocol** GBARR ::SNMP MdpOp
Object oriented A rewrite of the freeWais-sf **engine** in Perl ULPFR Wais Rdcf?
Interface to the Java RdhOI A Perl **front-end** for JVM communication METZZO
Rc cdcO? ...

Abbreviations

users.skynet.be/agpym/abbreviations2.html

ACU : Automatic Calling Unit / Alarm Control **Unit** ... ADSP : Advanced Distributed
Storage Manager ADSP : AppleTalk **Data** Stream **Protocol** / Author Domain
Signing Practices (rfc ... AIMS : Apple Internet **Mail** Server / Activity Information
Management System DPE : Dual Processor **Engine** / Digital Preservation Europe
...

IPPT1 Cisco Presentation Guide

openoffice.org/bugzilla/attachment.cgi?id=57361

File Format: Microsoft Powerpoint - Quick View

Protocol Translator ... Workgroup Switch Voice-Enabled. **Storage** Solution **Engine**
(SSE). IOS SLB. VIP ... SIP **Proxy** Server ... AKA **Data** Center Switch. **Data** Center
Switch, Reversed. DSLAM. Cisco IOS ... CSS 11000. Content Service **Module**.
Content Transformation **Engine**. SSL ... (**Front End** Processor) ... **Email** and Web
...

Cisco ASA 5505 & 5510 Routing and Firewall Devices

www.petri.co.il/cisco-asa-5500-series.htm

Jun 30, 2009 -- Our biweekly **emails** will keep you up to date on our latest news and
articles ... the PIX Device Manager, a Java based GUI **front-end** for the PIX OS,
however a ... Functionality can be upgraded via a Security Services **Module** port
which ... policy based firewall and routing **engine** which allows you complete ...

Communications system providing extensible protocol translation ...

www.patentgenius.com/patent/7644170.html

The **front-end proxy module** may include a respective **proxy module** for ... a
protocol engine module for communicating with the plurality of **data storage**
which users have associated mailboxes on a **mail** server, a particular protocol, ...

Trisquel -- Software Packages in "slaine". Subsection net

packages.trisquel.info/slaine/net/

... (1.4.0-0ubuntu1): Akonadi PIM **storage** service; akregator (4:4.4.6-0ubuntu1) ...
tunneling **protocol**; aolserver4-nsimap (3.2.3-4build1): This is AOLserver 4 **module**
that ... apt-cacher-ng (0.5.6-1): caching **proxy** server for software repositories ... for
auth2DB log **engine**; autodns-dhcp (0.8): Automatic DNS updates for DHCP ...

Communications system providing extensible protocol translation ...

patent.ipexl.com/EP/EP1661015.html

May 31, 2006 -- EP1661015 - A communications system may include **data storage**
... The system may further include a protocol interface device, which may include a
protocol engine ... The **front-end proxy module** may include a respective
proxy module ... e-mail for delivery to a device of limited rendering capability. ...

Fred Yudin | LinkedIn

www.linkedin.com/in/fredyudin

Greater New York City Area - SME Developer at Nordstrom - Nordstrom

This was achieved through the conversion from line **data** to AFP formatted pages;
data mapping was handle through the use of DesignPro/Elixir GUI **front end** for
Pdefs, ... major modifications of print programs, JCL and JCL transmission **protocol**,
... Performed requirements through implementation of a new **proxy** and **proxy** ...

[\[PDF\] Over the Air Programmable Stand-Alone Controllers Using GPR...](#)

www.mti.ugm.ac.id/~adj/courses/resources/doctor/.../KevinThesis.pdf

File Format: PDF/Adobe Acrobat - Quick View

by KB Mayer - 2002 - Cited by 5 - Related articles

Abstract. Supervisory Control and **Data** Acquisition (SCADA) is a field of constant
devel- 6.1.4 User Program **Storage** 3.2 **Module** Interaction Using a Server
as a Contact Point A.1 Communications **Protocol** - Initial Connection of SCADA
Engine to Server. ... A.3 Communications **Protocol** - **Front End** ↔ Back End.

[WorkBookGlossary < CMSPublic < TWiki](#)

<https://twiki.cern.ch/twiki/bin/view/CMSPublic/WorkBookGlossary>

It is produced similar to Prompt Reconstruction, in that RAW **data** is framework
module that analyzes event **data** and may or may not **store** output into a DT
chamber hosts **front-end**, readout and trigger electronics); MMM - My **Mail** and
More SGE: Sun Grid **Engine** (Batch Job System); Shifter's WorkBook: see entry
for ...

[All About Web-to-Database Connectivity / WebDeveloper.com @](#)

www.webdeveloper.com/database/

E-mail Offers ... How to Migrate from BasicFiles to SecureFiles **Storage** The
MySQL **Proxy** sits between your application and your MySQL database. Thanks
to internet search **engines**, users are used to searching for text but Access 2007
as a graphical **front end** to a back-end IBM DB2 **data** server and how to ...

[AXIGEN Mail Server Documentation - Mail Server Architecture](#)

www.axigen.com/docs/en/Mail-Server-Architecture_85.html

Axigen - The **Mail** Server for IT Professionals ... AXIGEN **Front-End** Services Setup
... AXIGEN **Mail** Server sends **mail** messages using the Simple **Mail** Transfer
Protocol ... AXIGEN **Mail Storage** integrates a proprietary technology that allows
storing ... AXIGEN incorporates a multi-threaded **engine**, which can break server ...

[FreeBSD Ports Collection Index](#)

012.vstyle.co.il/ports/master-index.html

6tunnel-0.11.r2_2 -- TCP **proxy** for applications that don't speak IPv6 ... Atlas-0.5.
2_1 -- A C++ reference implementation of the Atlas **protocol** abby-0.4.8_2 --
Front-end for c/clive ... abuse_sdl-0.7.1 -- An SDL port of the Abuse game **engine**
..... aolserver-nsencrypt-0.4_2 -- OpenSSL **data** encryption **module** for AOLserver
...

[HackageDB: packages by category](#)

hackage.haskell.org/packages/archive/pkg-list.html

IrrHaskell library: Haskell FRP binding to the Irrlicht game **engine**. Low- level D-
Bus **protocol** implementation; dgs library: Haskell **front-end** for DGS' **data**
store; riak-protobuf library: Haskell types for the Riak **protocol** **email-validate**
library: Validating an **email** address string against RFC 5322 ...

[Debian Wheezy - Debian Main i386 - Packages](#)

pkgs.org/debian-wheezy/debian-main-i386/

250+ items -- Packages of Debian Main i386 repository Debian Wheezy ...

- 3depict_0.0.6-1_i386.deb - visualisation and analysis for single valued point **data**
- 4store_1.1.3-1_i386.deb - RDF database **storage** and query **engine** ...
- 6tunnel_0.11rc2-5_i386.deb - TCP **proxy** for non-IPv6 applications

FreeBSD Ports Collection Index

freebsd.unidtech.be/de/ports/master-index.html

6tunnel-0.11.r2_1 -- TCP **proxy** for applications that don't speak IPv6 ... Atlas-0.5.
2_1 -- A C++ reference implementation of the Atlas **protocol** Reminiscence-0.1
.9_3 -- A rewritten **engine** for Flashback abby-0.4.7 -- **Front-end** for c/clive
aolserver-nencrypt-0.4_2 -- OpenSSL **data** encryption **module** for AOLserver ...

SME Server:Documentation:FAQ - SME Server

wiki.contribs.org/SME_Server:Documentation:FAQ

Aug 7, 2011 -- [The SquidParentPort setting is optional if the upstream **proxy** is on port 3128. include any device that is housed on a drive that needs the usb-**storage** or spb2 **module**. The server manager is the GUI **front end** for the firewall. To enable the InnoDB **engine**, run the following commands: ...

[DOC] Firewalls, Perimeter Protection, and VPN's

era.telipir.gr/era2/B5/B55.doc

File Format: Microsoft Word - Quick View

1Tel: 6936900485, e-mail: rigas.angelou@siemens.com ... Every user will login into a Checkpoint, VPN-1 **module**, with the VPN-1 SecuRemote Client software. ... The **protocol** provides **data** encryption, server authentication, message integrity, ... When a profiled event is detected it is passed to the correlation **engine** which ...

[PDF] VIPRE Email Security for Exchange User Guide

www.sunbeltsoftware.com/.../vipre-email-security-e2k7-user-guide.p...

File Format: PDF/Adobe Acrobat - Quick View

other servers, configure reporting and **storage** databases, register agents to the SMTP Each **engine** verifies incoming **mail** and then creates a spam score for each message. For a **front-end**/back-end server environment, Antispoofing would need to be VIPRE **Email** Security uses the NTLM authentication **protocol**. ...

[PPT] ACE TDM Overview

iss.leeds.ac.uk/files/ore/.../Northern%20Universities%20-%20Cisco%...

File Format: Microsoft Powerpoint - Quick View

Application Control **Engine** (ACE) Overview ... **Storage**. Network. Compute. Dynamic Provisioning and Information Lifecycle ... **DATA** CENTER NETWORK ... **E-mail** Servers ... Richest App-Layer Security*; Hardware-accelerated **Protocol** Control ... Up to 4 **modules** in a Catalyst 6500 chassis; Architected for add-on Services ...

Common Applications - ArchWiki

https://wiki.archlinux.org/index.php/Common_Applications

18.1 OCR **Engines**; 18.2 Layout analysers and user interfaces ... dar to take full/ incremental backups of files and can **store** them locally, on a remote system via SSH, or on Amazon S3 ... MLDonkey — Multi-**protocol** P2P client supporting BitTorrent Kmail — A mature and feature-rich e-**mail** client part of the kde project. ...

SquidFaq/CompleteFaq - Squid Web Proxy Wiki

wiki.squid-cache.org/SquidFaq/CompleteFaq

Squid keeps meta **data** and especially hot objects cached in RAM, To configure

Squid for the "null" **storage module**, specify it on the WCCP is a dynamic service in which a cache **engine** communicates to a The Squid redirector can make one accelerator act as a single **front-end** for multiple servers. ...

DistroWatch.com: Put the fun back into computing. Use Linux, BSD.

distrowatch.com/packages.php

210+ items -- Introduction and Notes. This is the list of ...

- alpine – 2.02 – Alpine: a text-based MIME **email** client based on Pine
- alsa-lib – 1.0.24.1 – alsa-lib: an audio library for use with the ALSA kernel ...
- apt – 0.8.15.8 – APT: a **front-end** for the dpkg package manager

Zabbix 1.8 Manual [Zabbix]

www.zabbix.com/documentation/1.8/complete

6.11 Host status propagation from **proxies** ... 2.5 Choice of database **engine** ...

Email. Jabber. Script. GSM Modem. 4.6 Host templates. 4.7 Host groups A web - based **front end** ensures that the status of your network and the health of your servers can be assessed from 4.1.1.2 Added configuration **data** cache **module**

...

Apache Overview HOWTO - SourceFiles.org - Use the Source, Luke

www.sourceforge.org/Internet/.../Apache-Overview-HOWTO.shtml

2.1.2.1 Multi Processing **Modules** 2.1.2.2 **Protocol Modules** 2.1.2.3 **Module** and filter ... 2.2.1 Authentication 2.2.2 Access Control 2.2.3 SSL/TLS 2.3 **Proxy** 2.4 ... 3.1.1.1 Tomcat 3.1.1.2 JAMES (Java Apache **Mail** Enterprise Server) 3.1.1.3 ... Open Source projects, such as the Tomcat Servlet/JSP **engine** and the ANT build tool. ...

Asterisk at large - voip-info.org

www.voip-info.org/wiki/view/Asterisk+at+large

May 13, 2011: -- **Store** the voice prompts in RAM instead of harddisk: Take a look at ramfs. ... If you have users all over the Internet, use a SIP proxy (like SER) as a **front-end** to Asterisk. ... media stream through SER - this is done through the **rtpproxy module** (SER). Any proxy worth its salt will have a CPL **engine** built in ...

2 - Gavin M. Roy - Father, Husband, Geek, Open Source Enthusiast ...

gavinroy.com/?page=2

Tomado has a very fast and flexible template **system** that is reminiscent of I use Tomado behind a web server using a reverse **proxy module**. ... Because your web server **front-end** can't spawn new backends on demand, ... make the log directory and the directory RabbitMQ will use to **store** its **data**: Follow by **email** » ...

SAP R/3 Performance Monitoring and Tuning

www.wilsonmar.com/sap_perf.htm

SAP Solution Applications, **Modules**, Exams [] Set **protocol.ora** file parameter tcp.nodelay=yes so that packets are streamed onto the ... It starts the ICM and the J2EE **Engine** and connects to the message server. ... Oracle provides VARCHAR so that it can **store data** using the actual size of the field **Email** me updates ...

ESET - ESET Mail Security for Microsoft Exchange Server

www.eset.eu > ... > ESET Mail Security for Microsoft Exchange Server

New Mailshell AS **engine** 6.1.4; new advanced setup tree order; possibility to set- up ... added detection of Microsoft Exchange Server 2003 **Front - End**; accepting ... by default after installation; fixed problem of incorrect **data** reading from ANSI ... under account with administrator rights; fixed issue with HTTP **proxy** server ...

HAProxy Configuration Manual - HAProxy - Willy TARREAU

haproxy.1wt.eu/download/1.3/doc/configuration.txt

Due to the transactional nature of the **protocol**, it was possible to improve it timeout applies when the client is expected to acknowledge or send **data**. This is normally enough for any **front-end** HTTP probe to detect that the But there is a limitation to this : since HAProxy's HTTP **engine** does not ...

Business Catalyst Blog

www.businesscatalyst.com/_blog/BC_Blog/page/2/

Jul 26, 2011 -- This release we have updated the **module** rendering **engine** to ... The **email** notification template allows you to use topic subject and ... iTunes **store** here or by simply searching "BC Podcast" from iTunes. We know that InContext Editing, while providing capabilities for editing content in the **front-end**, can't ...

All Ubuntu Packages in ... - Ubuntu Packages Search - Canonical

us2.canonical.com/hu/oneiric/allpackages?format=txt.gz

Jul 28, 2011 -- ... valued point **data** 4g8 (1.0-3) [universe] Packet Capture and Interception for Switched ... **storage** and query **engine** -- database daemon 6tunnel (0.11rc2-5) [universe] TCP **proxy** for non-IPv6 applications 7kaa (2.14.3-1) ... Contiguation of Assembled Sequences abby (0.4.7-1) [universe] **front-end** for cclive ...

HTTP - The Protocol of the World Wide Web

linuxinfinities.info/info/http.html

The HTTP **protocol** by which this communication of information takes place. ... Week, and the Apache **Module** Registry listing developments using the Apache API. ... web pages and "web-enable" existing applications with a browser **front-end**. ... Provides a template **engine** analogous to JSP , and an XML-RPC server. ...

PDF SPAM Filtering Proxy Server

khuzairr.myweb.pord.ac.uk/spamfilterreport.pdf

File Format: PDF/Adobe Acrobat - Quick View

The project also investigates the use of Grey listing to delay **mail** SPAM senders also trawl the web using similar techniques to the search **engines**, but instead of ... Simple **Mail Transport Protocol** (SMTP) is the industry standard way to deliver ... the **Email** is delivered as a single string after issuing the "**DATA**" command. ...

NITIX Software | Computer Magic :: www.cmpmagic.com

www.interjet-upgrade.com/node/8

eMail: info@cmpmagic.com ... collaboration, security-enhanced Internet access and protected **data storage**. ... Dynamic Host Configuration **Protocol** (DHCP) Nitix is equipped with an auto-configuring WWW **proxy** cache server that ... **engine** that protects Nitix-powered server-based **mail** services from **email** borne virus. ...

PDF Network Conscious Text Compression System (NCTCSys)

visi.cs.ucf.edu/data/cmp/papers/finalpaper.doc

File Format: Microsoft Word - Quick View

by N Motgi - Cited by 13 - Related articles

It can be integrated into different text based transfer **protocols** like FTP, HTTP and SMTP at application level to handle text **data** transmission. We apply ... on web servers, **mail** servers, news servers and **proxy** implementations. ... The system currently uses BZIP2 or GZIP as **front end** or backend compression **engines**, thereby ...

Web Test Tools

www.softwareqatest.com/qatweb1.html

Apr 5, 2011 -- **Protocol** independent and supports a wide variety of enterprise class applications. ... **Proxy** Sniffer - Web load and stress testing tool from from Ingenieurbüro David Utilizes a rules **engine** to infer violations in source code. ... Can be run via a GUI **front-end** or via command line tools. ...

Profile of Jose Kurian SOA, J2EE, Java

resume.odinjobs.com/6a564521938ea4b71718210012008a501d2/...

Configured **proxy** service message flows with all types actions and features, message ... Used Financial Message Designer to define **data** formats, validation rules and ... FSE for end-to-end integration using Message Processing **Engine** for parsing, ... FileAct and InterAct **protocols** and connectivity to SWIFT Alliance Gateway ...

FAQ - 389 Directory Server

directory.fedoraproject.org/wiki/FAQ

Aug 16, 2011 -- (**Mail**, Certificate, others) ... LDAP is a "lightweight" version of the Directory Access **Protocol** (DAP) used ... You also get an Admin Server, our http **engine** which provides several By default, 389 doesn't use the nsspm **module** that reads you just need to put an LDAP **front-end** on an existing **data store**. ...

Change Log -- ExpressionEngine Documentation

expressionengine.com/legacy_docs/changelog.html

Improved XSS filtering of input **data** to prevent an XSS vulnerability. ... Modified the Moblog **module** to work with POP3 over SSL (including Gmail). Fixed a bug with long subject headers when using the PHP **Mail email protocol**. ... visitor's IP address to be properly assessed when the web server is behind a reverse **proxy**. ...

A cost-sensitive adaptation **engine** for server consolidation of ...

portal.acm.org/citation.cfm?id=1656992

by G Jung - 2009 - Cited by 19 - Related articles

A cost-sensitive adaptation **engine** for server consolidation of multiter ... Toc Alert via **Email** However, typical deployment environments for ad-hoc routing **protocols** still force Our approach builds on existing technology for distributed **module** ... technique for distributed **data** deduplication in distributed **storage** systems. ...

The FreeBSD Ports Collection (www)

ports.kirkosoft.net/pub/unix/FreeBSD/ports/5.1/ports/.../README.html

... ad banners from web pages adzapper-0.4.0: A filtering **proxy** that can block ads rendering/printing/editing **engine** guile-www-1.1.1: Guile **modules** for WWW ... httdump-0.9x: A tool to retrieve WWW **data** html2html-1.0.3: An i-mode HTML to ... mhonarc-2.6.3: WWW **front end** for mail archives micro_httpd-2000.12.15: An ...

No ! Pacnet » ArchLinux

pacnet.archlinux.pl/category/No/

... category: A string template **engine** based on the Django template **system** and written in The Mesa GL API **module** is responsible for dispatching all the gl* functions ... category: GUI Spreadsheet Applicationdatabase **front-end** for LibreOffice. Open Source SIP Server able to act as a SIP **proxy**, registrar, location server, ...

adduser 3.59 Add and remove users and groups

initab.org/packages.txt

... apt 0.5.27 Advanced **front-end** for dpkg apt-utils 0.5.27 APT utility programs ark
... version of dd for rescuing **data** ddcxinfo-knoppix 0.6-5 Monitor/Graphics card
FreeType 2 font **engine**, shared library files libft-perl 1.2-13.1 Perl **module** for the
.... MIDI player pm-dev 4.3.0.dfsq.1-8 **proxy** management **protocol** development ...

[\[PDF\] LCS: a Linux-based Content Switch 1 Introduction](#)

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.161...

File Format: PDF/Adobe Acrobat - Quick View

by CE Chow - Related articles

the upper layer **protocols** and the payload content. ... Our content switch can be
configured as the **front end** ... algorithm are implemented as a **module** and hence
can be replaced without ... With additional SMTP header extraction, it can be
configured as a spam **mail** filter or virus ... If the **data** are not cached, the **proxy**
servers ...

[Nginx "how to" - Fast and Secure Web Server \(nginx.conf\) @ Calome...](#)

<https://calomei.org/nginx.html>

Nginx ("**engine x**") is a high-performance HTTP server and reverse **proxy** server.
..... If the client sends to much **data** in one request, for example in a buffer
browser client using the Transport Layer Security (TLS) **protocol** and the Also, if
one of the small **front end** goes down the others can take over. ...

[Magento - Downloads - Release Notes - eCommerce Software for ...](#)

www.magentocommerce.com/download/release_notes

added functionality for memcache backend to split down **data** that is larger than ...
Fixed SSL is not used for links in **email** templates when admin area is configured to
... **modules** to the correct place; Fixed Wishlist shows items per **store** scope, not ...
Fixed Redirect to main page of **front-end** during deleting Product Tax Class ...

[Yolinux.com: Linux Tutorials, Help, Documentation and Information](#)

www.yolinux.com/

Search the Linux tutorials on this site. NEW! Download: aWebDap version 1.10 - [
DEMO] Access your server based LDAP address book via the Web, **email** client ...

[OSDir.com - GoogleAppEngine - \[google-appengine\] Re: Monitoring ...](#)

osdir.com/ml/GoogleAppEngine/2010-02/msg00758.html

if **proxy**: full_path = **protocol** + "/" + host + full_path ... To post to this group, send
email to google-appengine@xxxxxxxxxxxxxxxxx [google-appengine] Re: Ruby on
Rails on **front end** and Google App **Engine** & others framework on backend?
Re: [google-appengine] getting back images from **data store** ...

[Softswitch Products Page - pulver.com](#)

www.pulver.com/products/softswitch/

Softswitch with great technological base:50E1 in full **proxy** mode at one computer is
reality. ... silhouette requires no premises-based equipment to install, maintain or
store. supports voice calls, and **data**, **email** and fax messages in a single
server. The CCPU Telco **Protocol Engine** provides a high-density system that
...

[Modules/All - MozillaWiki](#)

<https://wiki.mozilla.org/Modules/All>

Jun 28, 2011 -- This page transcludes all the individual **module** ownership pages, for
ease of searching. ... Bugzilla Component(s): Thunderbird::General, Thunderbird::Mail
Window **Front End** **store**, and manage iCal **data**, along with a XUL **front end**

that uses the Description: JavaScript **Engine** in C++ (SpiderMonkey) ...

Apache - Browse and search CPAN

cpan.uwinipeg.ca > Modules > A
320+ items -- ... Modules, Authors, Categories. **Modules** > > A > > Apache.
• Apache::Access::Abuse Perl extension for avoid access abuse to your web site
• Apache::ACEProxy::RACE IDN compatible RACE **proxy** server - Apache ...
• Apache::AntiSpam::NoSpam. Add suffix to local-part in **Email** - Apache ...

MoSys :: Company :: Careers :: Job Opportunities

www.mosys.com > Company > Careers
E-mail Alerts ... Design and verification of multi **protocol** high speed serdes IO. ...
design digital blocks such as clock and **data** recovery, adaptation logic which interface
with ... Create verification plans at **module** and chip level for complex SOC's ...
Bandwidth **Engine** products from MoSys are memory dominated devices with ...

ATrpms - by Distribution > Red Hat Enterprise Linux 6

atrpms.net/dist/6/!
An automated Perl **front end** for MPlayer/Mencoder ... LDAPget application **module**
for the Asterisk PBX ... SSH **Proxy** command helper ... Implementation of the TDS
(Tabular DataStream) **protocol** ... Secure **mail** and **data storage**. A wiki
engine. ...

la-lm

stommel.tamu.edu/~baum/linuxlist/linuxlist/node23.html
Aug 2, 1998 -- ICL looks and feels like C with the **data** model resembling that of Lisp
and PostScript. ... a **store** and forward architecture allowing truly asynchronous ...
ICMP : The Internet Control Message **Protocol** is an integral part of IP used by
gateway or The core is a specification and inference **engine** in which the ...

IPDF: Options For Securely Deploying Outlook Web Access

www.sans.org/...e mail/options-securely-deploying-outlook-web-acce...
File Format: PDF/Adobe Acrobat - Quick View
Outlook Web Access, or OWA, allows users to access their Exchange **email** via ... e
store is local to that ser ver, EXIPC is used to retrieve the local **data** rapidly. ... In
this option, the **front-end** server is on a perimeter network. This **module**, called
... intrusion detection **engine** that detects and mitigates over 700 different web ...



1 2 3 4 5 6 7 8 9 Next

email data storage proxy module engine protocol engine "front end"

Search

[Search Help](#) [Give us feedback](#)

[Google Home](#) [Advertising Programs](#) [Business Solutions](#) [Privacy](#) [About Google](#)